15" Digital Rod Displays



Bring estate agent windows to life with the state-of-the-art digital signage technology that replace traditional light pockets

Rod Powered Displays

No mains cable is required to provide power as these innovative screens are powered via the rods on which they are mounted. Achieve a clean and seamless installation with no cables whatsoever for a modern and sleek feel.







Sunlight Readable Digital Light Pockets

Catch the attention of passers-by and potential customers with these 1,000cd/m² high brightness LCD digital light pockets. Ideal for combining with static light pockets in window displays to provide eye-catching motion alongside printed signage.





Ideal for Estate Agents



Rear Graphics Pocket



Android Media Player



LED Frame



Integrated Speakers



Temperature Control



Wide Viewing Angle



Free Scheduling Software



Multi-Screen Synchronisation



Network Upgrade

Free Network Upgrade

The capability of updating this screen remotely over the internet is included at no extra cost. Just choose the software subscription package that suits yours needs so you can realise the benefits of our online content management system.



Rear A4 Graphics Pocket

On the rear of the display there is a pocket that a printed A4 graphic can be inserted into to really maximise on the space used. This can be removed if necessary but comes as standard at no extra cost.



Exclusive Template Library

As well as being able to create your own layouts you can choose from our exclusive library of pre-design editable templates. Choose an existing layout, add your own images and information then publish it to your screen.



Synchronise Multiple Displays

Synchronise your content across multiple screens in the same window display. You can achieve the effect of one large image or video across multiple screens or have content playing and transitioning in perfect unison.





1.000cd/m² Commercial Panel

Brightness is paramount when using outward facing screens, these displays use commercial grade high brightness panels (1,000cd/m²); almost 4 times brighter than a standard home TV to allow easy readability in window displays.



24/7 Usage

These displays use a commercial grade LCD panel and LED backlight. They have the ability to be in constant use 24/7 for over 70,000 hours and are designed for commercial use.




LED Frame

These displays have an attractive LED illuminated bevelled edge to compliment traditional static light pockets seamlessly.




USB Plug and Play

If you don't want to use our online CMS these displays can be updated quickly and easily by copying your images and videos over via USB stick. Even if you are using the network option this is a great backup if there are any internal network related issues.













Specification Table

		15 Inch
Panel	Resolution	1920x1080
	Display Area (mm)	344x193.5
	Aspect Ratio	16:9
	Brightness (cd/m²)	1,000
	Colour	16.7M
	Viewing Angle	178°
	Contrast Ratio	5000:1
Audio	Speaker Type	5W, 8Ω (x2)
AV Inputs	Video	HDMI, VGA
	Audio	Audio Socket (3.5mm)
Power	Power Consumption (W)	16
	Input Voltage (with transformer)	12V (DC)
Mechanical	Unit Size (WxHxD mm)	430x280x49.5*
	Package Size (WxHxD mm)	510x360x185
	Net Weight (kg)	3.3
	Gross Weight (kg)	6.1
	Rear Graphics Pocket Paper Size	A4
Environmental	Operating Temperature	0°C to 40°C
	Storage Temperature	-30°C to 60°C
	Operating Humidity	10% to 80%
	Storage Humidity	5% to 95%
Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPG, GIF, BMP, PNG)
	Media Resolution	1920x1080/1080x1920
	CPU	Quad-Core ARM Cortex A17, 1.6GHz
	GPU	Quad-Core ARM Mali-T764
	RAM	DDR3 2GB
	Internal Storage	8GB eMMC
	USB	1 x USB (OTG/HOST), 1 x USB (HOST)
	LAN	100M/1000M Ethernet (Network Version Only)
	Wi-Fi	802.11b/g/n/ac (Network Version Only)
	OS	Android 7.1
	Graphic Engine	OpenGL ES 1.1/2.0/3.0/3.1, OpenCL 1.1, Renderscript, Direct3D 11.1
Accessories	Included	Scheduling Software, Remote Control, User Manual
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime

*Includes Rear Graphics Pocket Errors and omissions excepted



