# USER MANUAL

Version: OABxxHD8

Model: Outdoor A-board Android Advertising Display

Thank you for purchasing this product To receive more complete service, please contact support: <u>LCDsupport@live.com</u>

# Warning! Important Safety Instructions



Please take a moment to carefully read and understand the following safety instructions before using your digital screen:

# Ventilation:

The slots and openings on the back or bottom of the screen is designed to provide necessary ventilation. To ensure the reliable operation of the device and prevent overheating, it is crucial that these slots and openings are never blocked or covered.

Avoid placing the screen in confined spaces like bookcases or built-in cabinets, unless proper ventilation is available.

Keep the screen away from radiators and heat registers

#### Water and Moisture:

Do not place vessels (such as vases) containing water on the screen, as this can result in fire or electric shock.

Avoid exposing the screen to rain or placing it near water sources like bathtubs, washbowls, kitchen sinks, laundry tubs, wet basements, or swimming pools. In case of accidental exposure to water, immediately unplug the device and contact an authorized dealer.

## **Electrical Safety:**

Avoid overloading wall outlets, extension cords, or adapters beyond their capacity, as this can lead to fire or electric shock.

Ensure that power-supply cords are positioned in a way that prevents them from being walked on or pinched. Pay attention to cords at the plug end, wall outlets, and where they exit the device.

During lightning storms or when leaving the screen unused for extended periods, unplug it from the wall outlet and disconnect the antenna or cable system to prevent damage from lightning or power line surges.

Never touch the inside of the screen, as it may result in electric shock. Only qualified technicians should open the device.

Always firmly plug in the power cord and pull the plug, not the cord itself, when disconnecting from the wall outlet. Avoid touching the power cord with wet hands.

If the screen does not operate normally, emits unusual sounds or smells, immediately unplug it and contact an authorized dealer or service center.

#### Installation Considerations:

For information on installing the screen in environments with heavy dust, extreme temperatures, high humidity, or chemical substances, please contact customer service. Failure to do so may cause serious damage to the screen.

Use only properly grounded plugs and wall outlets to ensure safety and prevent electric shock or equipment damage (Class I Equipment only).

When turning off the screen completely, disconnect it from the wall outlet. Ensure easy access to the wall outlet and power plug for quick unplugging if needed.

Avoid dropping or striking the product. In case of damage, disconnect the power cord and contact customer service.

#### **Cleaning and Maintenance:**

Before cleaning, unplug the power cord from the wall outlet. Use a soft, dry cloth to wipe the product. Do not use chemicals like wax, benzene, alcohol, thinners, insecticides, air fresheners, lubricants, or detergents, as they can damage the panel's appearance or erase printing on the product.

Prevent exposure of the screen to dripping or splashing liquids.

Keep the display away from heat sources and place it in a stable, well-ventilated location.

Handle the product with care, as it contains glass.

The holes or openings on the display are designed for ventilation. Do not cover or block them with any objects.

Remove any protective covering from the screen before using the display.

Power supply must be shut off before cleaning. Use a soft, lint-free cloth for screen wiping. If needed, you may use a glass cleaner, but avoid spraying it directly onto the display surface. Refer to Section 7.10 for more details.

Do not attempt to repair the product yourself, as improper disassembly may void the warranty and pose potential dangers.

If you encounter a problem that cannot be resolved using the provided troubleshooting guidelines, please contact your supplier.

#### Attention:

For displays intended for installation in windows, it is crucial to mount the panel surface a minimum of 100mm away from the inside of the window. However, we strongly recommend maintaining a distance of 200mm to ensure adequate air circulation between the display and the window. Failure to comply with these guidelines may result in failure, which will be considered user damage.

# Performing the initial setup

This section of the guide is to allow swift set up and use of the unit. Please refer to the main part of the User Guide for full information on use of the unit.

Please follow the steps detailed below:

- 1. Unpack unit and place in desired location.
- Take the power lead from the accessories bag then connect the power lead into the screen (see Figure 2 Inputs Overview) and into a mains outlet. The unit will power on automatically (if it doesn't, please ensure the 'AC Switch' is in the on position).
- **3.** Make sure the files you wish to play are supported by the unit as shown in the **Supported Media Files** table (Section 4.0)
- **4.** On a PC/Laptop copy the files you want to play onto an empty USB drive. These should be in the root directory (without putting them into a folder). Remove the USB from the PC once copied over.
- 5. Insert the USB drive into the one of the USB ports located on the rear of the unit
- 6. The screen should indicate that it is copying the files onto the unit (see **Copying Files from a USB Drive** (section 5.0) for more information). Once completed, the screen will display a message to remove the USB drive.
- 7. Remove the USB drive and the unit will play the stored files on a loop.



Figure 1 Position of USB ports

Table of Cor1.Introd	ntents luction	
1.1	Box Contents:	
1.2	Moving The Unit	
1.3	Charging The Display0	
1.3.1	Powering directly from the mains	0
1.3.2	Battery Display Panel	1
1.4	Remote Control	
1.5	Replacing the Remote-Control Battery4	
2. Digita	l Signage Player Application5	
2.1	Home Screen5	
2.1.1	Local Date and Time	5
2.1.2	Local Storage	6
2.1.3	Network Status	6
2.2	Setup Menu7	
2.3	Main Settings8	
2.3.1	Work Mode	8
2.3.2	Orientation	9
2.3.3	Time & Date	.10
2.3.4	Machine Number	.11
2.3.5	Wi-Fi Settings	.11
2.3.6	Exit	.13
2.4	Advanced Settings13	
2.4.1	System Settings	.13
2.4.2	Power On/Off	.18
2.4.3	Timer Strategy	.19
2.4.4	Network Settings	.22
2.4.5	File Management	.23
3. Displa	y Settings24	
3.1	Source	
3.2	System Setting25	
3.3	Picture	
3.4	Exit	
4. Suppo	orted Media Files	

5.	Соруі	ng Files from a USB Drive29	
6.	Adver	tising LCD Playlist Editor Software31	
	6.1	Main Menu31	
	6.2	Creating Playlists	
	6.2.1	Add Schedule	32
	6.2.2	Add Selected Items	33
	6.2.3	Saving	37
	6.2.4	Editing Playlists	37
7.	F.A.Qs	and Troubleshooting Guide38	
	7.1	How do I change the Work Mode to Wi-Fi so I can connect to my Wi-Fi network?38	
	7.2	How do I connect to a Wi-Fi Hotspot?41	
	7.3	How do I set up synchronisation on my screens?46	
	7.4	How do I play PowerPoint presentations on my display?	
	7.5	Video Format Conversion50	
	7.6	Connecting the screen to a PC55	
	7.7	My media file does not fit properly on the screen56	
	7.8	My media file will not display or is missing from the playlist	
	7.9	My media files will not update	
	7.10	How should I maintain and clean my screen?57	
8.	Other	Information58	
	Decreasi	ng power consumption	
	Disposal		
	Warnings	5	

# 1. Introduction

We would like to extend our congratulations on your recent purchase of our product. Before using it for the first time, we kindly request you to read the manual thoroughly and follow all provided instructions.

To ensure the proper functioning and longevity of the product, please take note of the following guidelines:

Avoid exposing the product to liquids in the form of dripping or splashing. It is essential to keep the product away from any objects that contain liquids, such as vases.

## Attention:

Please refrain from making unnecessary changes to the default settings.

During both installation and use, it is crucial to keep the product away from water sources.

## 1.1 Box Contents:

- 1 x Outdoor A-board Advertising display
- 1 x Power Cable
- 1 x Charging adapter
- 1 x Remote Control (with 2xAAA batteries)
- 1 x Wi-Fi Antenna
- 1 x QR Code for User Manual



**Figure 2 Inputs Overview** 

# 1.2 Moving The Unit

When you need to move the display from one place to another, please follow the below steps to move and position your display.

• Unlock the locking bar to begin moving the unit.



• Holding the handle on the rear of the unit, wheel the display into position.



• Push the screen to the desired location while keeping the bottom of the screen away from the floor.



### 1.3 Charging The Display



This screen comes with a rechargeable internal lithium-polymer battery. Upon arrival, the battery will have some charge, but for a full charge, connect the charger/mains power cable to both the screen and the mains socket. The charging point is situated next to the AV inputs.

When plugging in the power cable, it's crucial to ensure that the notch on the cable connector aligns with the notch on the charging point of the unit.


#### **1.3.1** Powering directly from the mains

You can power the screen directly from the mains by keeping the charger/mains power cable connected to both the screen and the electrical outlet.

Note: Consistently keeping the display connected to the mains may lead to a gradual reduction in the battery's natural lifespan over time.

# 1.3.2 Battery Display Panel


Situated on the rear of the unit, you will find a charge level indicator.



Using the buttons on this interface, you can cycle through the display options.

#### **Basic Functions:**

- 1. Press the Up Arrow (▲) or Down Arrow (▼) to calibrate the brightness of the battery display. The brightness value can be set from 0 to 8. It is recommended to keep this at 0 to save power.
- 2. Hold the Up Arrow ( ) for 2 seconds to set the current battery level to the maximum capacity.
- 3. Hold the Down Arrow (♥) for 2 seconds to set the current battery level to the minimum capacity.
- Hold the Back Button (<sup>5</sup>) for 2 seconds to access the Advanced Settings. See the below image for more information on the Advanced Settings.



The display will default back to the home screen automatically after a period of time without any interaction.

#### **Default Battery Settings:**

Parameter	Value	Definition
CAP	38 Ah	Effective capacity of the battery
Full V	29.2 V	Maximum capacity of the battery
Zero V	0 V	Minimum capacity of the battery
PowOff	21.2 V	Shutdown capacity of when the unit will shutdown
Alarm	5 Ah	Alarm capacity of when the battery display begins flashing
Atten	0.046%	Battery charge cycling capacity

# 1.4 Remote Control


Illustration	lcon	Definition
	٩	Power on/off
•	MENU	Display the screens menu
MENU SOURCE	SOURCE	Input/Channel
<ul> <li>♦ OK</li> <li>►</li> <li>SETUP</li> </ul>		Navigation and selection button
STOP	SETUP	Digital Signage setup menu
	Ð	Exit
	STOP	Stop the current playlist
	8	Mute the volume
	**	Previous/Next Content
	⊴+	Volume Increase/Decrease

\_

Figure 4 Remote Control Overview

# **1.5** Replacing the Remote-Control Battery

**1.** Slide the battery cover off.



- 2. Remove the used batteries.
- **3.** Insert the two new AAA batteries with their terminals corresponding to the indicators.
- **4.** Put the cover back on.

# **Figure 5 Changing Batteries**

# 2. Digital Signage Player Application

# 2.1 Home Screen

The Home Screen has different areas which provide information about the screen status.



**Please note:** Press the **Stop Button** (**■**) on the remote control to go to the Home Screen If there's content currently playing.

## 2.1.1 Local Date and Time


Н

The **Local Date and Time** displays the local date and time of the screen. This can be changed if required as shown in the **Time & Date** settings. (Section 2.3.3).




# 2.1.2 Local Storage

The **Local Storage** displays information about the screen such as the hard drive capacity and software versions installed on the screen.



## 2.1.3 Network Status

The **Network Status** displays information such as if the screen is connected to a **Local/Wireless Network** and if it's communicating with our **Server**.




This **Server Status** will display a tick if the network is communicating with our server. If there is a cross here instead of a tick please see our <u>FAQ</u> on how to solve this. You may need to contact your network administrator if the server connection is not being established.

The **Local Network Status** will display a tick if the screen is connected to either a LAN connection, Wi-Fi Hotspot or mobile broadband provider depending on the **2.3.1** that the device is set to.

If you aren't able to get connected please see our <u>FAQ</u> to check why the screen isn't connecting to your network.

# 2.2 Setup Menu

From the **Home Screen** you can bring up the Main Menu by pressing the 'SETUP' button on the remote control. The main Setup Menu includes the following sub-menus: Work Mode, Orientation, Time & Date, Machine I.D, Exit. There will also be a Wi-Fi Settings sub menu if the Work Mode is set to Wi-Fi.



# 2.3 Main Settings

# 2.3.1 Work Mode

Selecting a **Work Mode** option will change the screen to the desired way of displaying content. For example, changing the **Work Mode** to **USB** will allow a USB drive to be placed into one of the USB ports on the screen (see **Figure 2 Inputs Overview**) that will copy over any video or images on the USB drive. See **Copying Files from a USB Drive** for more information. (Copying Files from a USB Drive).


The available Work Mode options are:

**USB** – To be used as Plug and Play with a USB drive.

Wi-Fi – Connect the screen to a Wi-Fi connection to be used with <u>My Signage Portal</u>.

LAN – Connect the screen to a local network by ethernet cable to be used with My Signage Portal.


**Mobile** – Connect the screen to a 3G/4G network with a mobile broadband enabled sim card to be used with <u>My Signage Portal</u>.



# 2.3.2 Orientation


In this sub-menu you can set the screens orientation so you can display your content in the correct orientation. There are 4 orientation options:

- 0° Displays in landscape with the ports on the bottom of the unit.
- 90° Displays in portrait with the ports on the left-hand side of the unit.
- 180° Displays in landscape with the ports on the top of the unit.
- 270° Displays in portrait with the ports on right-hand side of the unit.



# 2.3.3 Time & Date

On this menu you can set the **Date**, **Time**, **Time Zone**, enable **Sync Time on Startup**, apply **Daylight Savings Time** and lastly select the **Sync Time Now** option to sync the date and time with the <u>My</u> <u>Signage Portal</u> server.



If you wish to change the date or time, highlight and select one of these options with the remote control and a new popup will appear, allowing you to set your desired values by using the on screen '+' and '-' icons.



## 2.3.4 Machine Number

The **Machine Number** is the unique Licence Number that's associated with every owned screen. Please do not change this unless asked otherwise by the **Technical Support** team as it may prevent you from sending content to the screen remotely.

SETTINGS ADVANCED			0	
Work Mode				
Orientation Time & Date				
Machine ID	0			
	$\cup$			
	_	Machine Number	7418	
		Machine ID	7418	
<b>Exit</b>		Machine Name	NEWUL_1_AS1	EST
Exit				

# 2.3.5 Wi-Fi Settings

If the product was purchased as **Networked with Wi-Fi** you can connect to a hotspot here. Start by navigating down the list until you see the hotspot you wish to connect to and press the **Play/Pause Button (HI)** on the remote control.

SETTINGS ADVANCED			0	
Work Mode				
Orientation				
Wi-Fi Settings				
Time & Date				
Machine ID		ZoomMeeting_5G Protection by way of WPA/WPA2	₹ <b>₽</b>	
		MeetingRoom_5G Protection by way of WPA/WPA2	78	
	- (	MeetingRoom Protection by way of WPA/WPA2	<b>R</b>	
		SyncRouter Protection by way of WPA/WPA2	ଟଳ	
Kerit Exit				

This will bring up a new menu allowing you to enter the hotspot details including the password.

<b>\$</b> #			
SETTINGS ADVANCED			
Work Mode	A	OfficeAP	
Orientation		Signal Strength Stronger Security Protection by way of WPA/WPA2	
Wi-Fi Settings		Password	
Time & Date		Show Password	
Machine ID		Show Advanced Options	হ
		gwertyui op	
		asdfghjkl	₹ <b>₽</b>
		ABC z x c v b n m del	78
		clear 123 space !@# back	
			98
		Connect NO	<b>?</b>
		\$A9800_c22d85	\$
<b>Exit</b>			

Please make sure the supplied antenna is connected to the **coax connector** (see **Figure 2 Inputs Overview**) for the best signal. For more information on connecting to a network please see our <u>FAQ</u>.

# 2.3.6 Exit

Selecting the 'Exit' button will exit the Setup Menu. If you have made any changes the system will ask to if you want to reboot the screen so that the changes can take effect, select 'Yes' to proceed.

SETTINGS ADVANCED					0	
Work Mode	- A					
Orientation						
Time & Date	and the second second					
Machine ID		WARNING				
			inged, reboot or not? 8			
		Yes	No			
	-	0*	90*	180*	270°	
		õ		Ď		
<b>Exit</b>						

# 2.4 Advanced Settings


The Advanced Settings tab opens up advanced options including System Settings, Power On/Off timer(s), Timer Strategy timers, Network Settings and a File Management area.

# 2.4.1 System Settings

In this area there are various settings used to further customise the screen to your liking such changing the **Display Language**, adding a **Real Time Clock** to the screen, accessing the **Play Log**, accessing the **Sync Settings**, the **Webview Settings** and the option to **Restore the screen to Factory Settings**. This also includes enabling or disabling the use of the **USB** ports, the **Auto Start** function and the **Standby** function.

## **Display Language**


Change the display language of the **Setup Menu** and **Homepage**. Choices include; **English**, **Chinese** and **Japanese**.



## **Real Time Clock**


This setting allows you to display an overlay clock while content is playing. There are 5 options available:

- Close: The screen doesn't display time (default).
- Top Left: The time will be displayed on top left of the screen.
- Top Right: The time will be displayed on top right of the screen.
- Bottom Left: The time will be displayed on bottom left of the screen.
- Bottom Right: The time will be displayed on bottom right of the screen.



## Logs

Enable or disable the **Touch play log** or regular **Play Log** for content analytics on <u>My Signage Portal</u>.



#### USB

Enable or disable the **USB** ports on the screen.



Please note: This will disable the use of copying files from a USB stick to the screen.

# **Scrolling Text Settings**

Enable or disable the **Scrolling Text** that can be accessed with software to create more customisable playlists when using **Plug and Play Work Mode**. For more information on this please see the section on the **Advertising LCD Playlist Editor Software** (section 6.0).



Please note: This can only be used with a Windows PC.

#### Sync Settings

Here you are able to setup the sync options for the screen if you are planning on synchronising multiple screens together through our Content Manage System, <u>My Signage Portal</u>. For information on this please see **How do I set up synchronisation on my screens?** (section 7.3)

#### **Restore to Factory Settings**

If you believe something may have gone wrong or you wish for the screen to be back to the factory default, you are able to do that by formatting the application through this setting.

#### Auto Start

Enable or disable to **Digital Signage Player** application auto starting when the screen is booted up. Disable this if you wish to use an alternative 3<sup>rd</sup> party application.

#### Standby

Enable the **Standby** function to lower the power consumption. We do not recommend changing this as it can have an impact on how to the application receives data from the <u>My Signage Portal</u> server.

#### **Webview Settings**

Change the WebView default browser when using a Website Zone through the Content Management System, <u>My Signage Portal</u>. The options include:

- User Agent Enabling this option will auto play video content on the website and force the website to use the mobile layout instead of desktop layout.
- **Desktop Style 1** Uses the old WebView engine: Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/124 (KHTML, like Gecko) Safari/125.1
- **Desktop Style 2** Uses the new WebView engine: Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/43.0.2357.134 Safari/537.36
- Hardware Acceleration Speed up the length it takes to load up a webpage using the screens hardware.

SETTINGS ADVANCED					
System Setting	1				
Power On/Off					
Timer Strategy					
Network Setting	0				
File Management	0		$\bigcirc$		
	•				
	_	User Agent			
		Desktop Style	Desktop S	tyle 1 🔵 Desktop Style 2 🔵	
		Hardware Acceleration			
<b>Exit</b>					

# 2.4.2 Power On/Off

Here is where you can set up an automatic on/off timer for the screen should you want it to power on and off automatically at designated times and days. If you do not wish to set on/off times for your screen please set the '**Control Mode**' to '**Manual**'.

SETTINGS ADVANCED				
System Setting		Setting Mode		
Power On/Off		Daily	Weekly	0
Timer Strategy		Control Mode		
Network Setting	0	Manual	Timer	0
File Management		Always On	Always Off	0
Exit				

There are two **Setting Modes** – '**Daily**', allowing you to set the same on/off times for every day of the week or '**Weekly**', allowing you to set individual on/off times for each day of the week.


SETTINGS ADVANCED					0
System Setting		Setting Mode			
Power On/Off		Daily	$\bigcirc$	Weekly	0
Timer Strategy		Control Mode			
Network Setting		Manual	0	Timer	$\bigcirc$
File Management		Always On	0	Always Off	0
		1			<u>On 07:00 - 17:00</u>
		2			<u>On 00:00 - 00:00</u>
-		3			Off 00:00 - 00:00
		4			Off 00:00 - 00:00
	_	5			Off 00:00 - 00:00
SExit					

To activate the on/off timer set the '**Control Mode**' to '**Timer**' by using the arrow keys on the remote control and pressing the **Play/Pause Button** (**>II**). Next set the '**Setting Mode**' to either '**Daily**' or '**Weekly**'. Finally navigate over to the individual timer(s) and set the on and off times. If you only wish to set one on/off timer use the first timer labelled '**1**'.



# 2.4.3 Timer Strategy

This setting allows you to schedule your screen to play at different volumes and switch to different AV inputs at different times of the day.




# **Volume Timer**

To enable this feature, first enable the switch (blue). New fields will now appear allowing you to set a default volume level as well as timer fields for setting different volume levels for different periods of the day.


Volume Timer		
Volume	•	50/100
1	<u>On 12:00 - 17:00</u>	75/100
2	<u> Off 00:00 - 23:59</u>	<u>0/100</u>
3	<u> 0ff 00:00 - 23:59</u>	<u>0/100</u>
4	<u>Off 00:00 - 23:59</u>	<u>0/100</u>
5	<u> Off 00:00 - 23:59</u>	<u>0/100</u>

Navigate to a timer field and press the **Play/Pause Button** (**>II**) on your remote control. Activate the timer, set a volume level and also a start and end time. Press the **'Save'** button to save changes.



#### **Port Timer**

To enable this feature, first enable the switch (blue). New fields will now appear allowing you to set different AV inputs for different periods of the day.



Navigate to a timer field and press the **Play/Pause Button** (**>II**) on your remote control. Activate the timer, set a volume level and also a start and end time. Press the **'Save'** button to save changes.

1			
Start Time		<u>13:00</u>	
End Time		<u>18:00</u>	
Port		HDMI	
	Save		

The different inputs available are:

- **Digital Signage** the internal android input currently being used on the screen
- **HDMI** external device which is connected to the screen via HDMI cable
- VGA external device which is connected to the screen via VGA cable

#### 2.4.4 Network Settings

In this area you are able to setup and change various Network Settings such as the **Server Configuration** and **IP Method**. It will also display the physical **MAC Address** of the screen.

SETTINGS ADVANCED			
System Setting Power On/Off			
Timer Strategy Network Setting			
File Management	Server Configuration	>	
	IP Method	>	
	IP Information Display		
	TCP Port	4701	
	UDP Port	4700	
<b>Exit</b>	MAC Address	0C:63:FC:24:E2:DB	

#### **Server Configuration**

In this section you can change the parameters used to establish a connection to the <u>My Signage</u> <u>Portal</u> server.

Server Connection mode	Domain Name Mode
Server Address	www.mysignageportal.com
Server Port	80 >
Remote Server	
File Server Switch	

Please note: Do not change any of these settings unless specifically asked by a member of the Technical Support team.

#### **IP Method**


In this area you can disable the DHCP default connection and set a static IP. Please do not change any of these settings unless this is needed to connect to a network and is advised by your internal IT/Network technicians.

•		
	DHCP	

#### 2.4.5 File Management

This area provides information about the file system such as the **Total Capacity**, **Used Capacity** and the **Spare Capacity** (free space). If you need to format the internal hard drive you can achieve this by selecting the 'Format' button.





# 3. Display Settings

As well as having a main system menu that can be accessed through your home screen, the unit also has a display setting menu for changing which input source is being displayed as well as altering values such as brightness, contrast and saturation. This can be accessed at any time by pressing the '**MENU**' button on the remote control.

Main Menu
Source
System Setting
Picture
Exit

# 3.1 Source

The source menu allows you to change the video signal input the screen will display. As a default it is set to 'Digital Signage' to display the internal media player input.

Source
HDMI
VGA
Digital Signage
Exit

# 3.2 System Setting

Here you can set the Language, turn the Watchdog Auto function on/off which is used to stop any unwanted displays issues happening on the screen and lastly **Restore to Default** the **Displays Settings** if needed.

System Setting		
Language Watchdog Auto Reset to Default Return	English Off	

# 3.3 Picture

In this sub-menu you can alter the different image settings of your screen. To adjust the **Brightness**, **Contrast** and **Colour** of your display, navigate to the **Picture** setting and use the **Left** (◄) and **Right** (►) **navigation buttons** on the remote control to adjust the value accordingly.

Picture		
MODE	User	
Brightness	50	
Contrast	50	
Color	50	
Sharpness	0	
Tint	50	
Color Temperature	User	
Backlight	100	
Return		

**Please note:** It is recommended not to change the settings unnecessarily.

## 3.4 Exit

Ħ

To exit from the **Display Settings Menu**, navigate to 'Exit' and press the **Play/Pause Button (HI)**.

Main Menu
HDMI
VGA
Digital Signage
Exit

# 4. Supported Media Files

## Required:

Video			
Container	MP4, AVI, MPG		
Codec	MPEG-1, MPEG-2, MPEG-4, XVID, H.264		
Width	1920 (1080 for portrait)		
Height	1080 (1920 for portrait)		
Audio	AAC or MP3		

#### Recommended:

Format Profile	Main@4.0
Frame Rate	30fps
Standard	PAL
Bitrate	5000kbps
Bitrate Encoding	CBR
Field Order/Scan	Progressive
Audio	AAC or MP3

## Required:

Image		
Container	JPEG	
Compression	Baseline	
Colour Mode	RGB	
Width	1920 (1080 for portrait)	
Height	1080 (1920 for portrait)	
Maximum DPI	300	

This unit does not support WMV or FLV video file types.




**Please note:** Video and image files should be a maximum of 1920x1080 resolution for Landscape orientated screens and a maximum of 1080x1920 resolution for portrait orientated screens.

# 5. Copying Files from a USB Drive

If the **Work Mode** is set to **USB** (default with Plug and Play purchased screens) you can copy files directly from a USB drive onto the screen to play the content on a loop. Make sure to reference the **Supported Media Files** table (Section 4.0) for the correct formats and resolution of the content.

## Step 1

Copy the files you want to play on the screen on to the **USB Drive** in the root directory. Do not put the files into folders, they must be in the main root directory.




## Step 2

Insert the USB drive into a USB port (see

Figure 1 Position of USB ports).

## Step 3

The files on the USB drive will then be copied to the internal storage on the screen.



## Step 4

Remove the USB drive.



## Step 5

The content on the USB drive will now play on the screen. If the content isn't playing or didn't copy over, please make sure to check the **Supported Media Files** table (Section 4.0).

# 6. Advertising LCD Playlist Editor Software


Although this unit can operate without using any additional software, for more advanced applications please download and install the **Advertising LCD Playlist Editor** software from the link below. This will allow you to create playlists and set up schedules without using <u>My Signage Portal</u>.

## Advertising LCD Playlist Editor Software

Make sure to reference the **Supported Media Files** table (Section 4.0) for the correct formats and resolution of the content being used on the created playlists.

#### 6.1 Main Menu

Start by opening the application to bring you to the **Main Menu**. The main menu will allow you to either create a new playlist or load and existing playlist from a USB drive.



## 6.2 Creating Playlists

The Playlist Editor is laid out in a user-friendly way with the primary functions on the left-hand side in easy to follow steps.

## 6.2.1 Add Schedule

The schedule functions as a timer for the playlists, so you can have between one and eight playlists scheduled to start and end at different times of the day, with up to 50 files in each playlist.



**Please note:** If you enter more than one schedule ensure that the consecutive schedule times do not overlap.

- 1. Click on the 'Add Schedule' Button.
- 2. Type a Schedule name.
- 3. Select preferred start time.
- 4. Select preferred end time.
- 5. Click 'OK'.
- 6. The schedule will appear in the playlist.

Follow the same process to add multiple schedules.

Advertising LCD Playlist Edite	or 3.1	- • ×
Step 1: Add Schedule	Playlist	shoke -
		100
	Add Schedule	
Step2: Add Items		
	Schedule Name Schedule 1	
	Start Time 🚾 00	T
	End Time 20:00	
	OK Cancel	
Step3: Save to Disk		

## 6.2.2 Add Selected Items

#### Adding Images

- 1. Click the Add Image button.
- 2. Select one of the schedules created from the Add Schedule section.
- 3. Click 'Browse' and locate the image you wish to use.
- 4. Enter a duration time of the image (this is the time it takes to transition to another image on the chosen schedule).
- 5. Choose from the list of available transitions.
- 6. Click 'OK' to add the image file to the chosen schedule.

You can select multiple image files at once to add to a schedule, you can also move each image up or down in the playlist by using the arrow buttons on the right-hand side.

**Please note:** Before adding a media file please ensure that it has a file name length of 11 characters or less and contains no <u>special characters</u>. For supported file formats please refer to **Supported Media Files**.

Advertising LCD Playlist E	ditor 3.1		- • ×
Step1: Add Schedule	B- Playlist	Name:Schedule1 Start Time:08:00 End Time:20:00	sheeter .
	Add Picture		
Step2: Add Items			
Step 2. Add items	Schedule Name	Schedule 1	
	File	Browse	
	Duration	5	T
		Duration Range: 3s – 10000s	
<b>e</b> <u>/</u>	Image Switch Effect	0 Random	
Step3: Save to Disk		OK Cancel	
(T			

#### Adding Audio

Н

- 1. Click the Add MP3 button.
- 2. Select one of the schedules created from the Add Schedule section.
- 3. Click 'Browse' and select the desired MP3 file.
- 4. Enter a volume level for the MP3 file.
- 5. Click 'OK' to add the MP3 file to the chosen schedule.

**Please note:** Before adding a media file please ensure that it has a file name length of 11 characters or less and contains no <u>special characters</u>. You must also add audio files after adding image files.

advertising LCD Playlist Ed	litor 3.1	- • ×
Step 1: Add Schedule	Playlist Schedule Name:Schedule1 Start Time:08:00 End Time:20:00	to the
Step2: Add Items	Add Mp3	
	File Browse	1
<b>;</b>	OK Cancel	•
Step 3: Save to Disk		-

#### Adding Video

- 1. Click the **Add Video** button.
- 2. Select one of the schedules created from the Add Schedule section.
- 3. Click 'Browse' and select the desired video file.
- 4. Click 'OK' to add the video file to the chosen schedule.


Please note: Before adding a media file please ensure that it has a file name length of 11 characters or less and contains no <u>special characters</u>. You cannot add videos and MP3 audio files in the same schedule.

Advertising LCD Playlist Ed	itor 3.1	- • ×
Step 1: Add Schedule	⊟- Playlist Schedule Name:Schedule1 Start Time:08:00 End To	ime:20:00
Step2: Add Items	Add Video	
	File Please note: When displaying a High Definition video please use .avi , .mp4	Browse
<b>e</b>	OK Cancel	
Step3: Save to Disk		

### **Adding Scrolling Text**

- 1. Click the Add Scroll Message button.
- 2. Enter the message you would like to run across the bottom of the screen.
- 3. Click 'OK' to add the desired message to the schedule.

If you have a pre-existing text file (.txt) containing your message, highlight the 'Import from file' checkbox and click 'Browse'. Locate and select the desired text file followed by clicking 'OK'.



## 6.2.3 Saving

- 1. Insert a USB drive into your PC and make sure there are no files showing on the drive.
- 2. Click 'Step3: Save to Disk'.
- 3. Click 'Browse' and select the USB drive as the location of the playlist and files.
- 4. Click 'Save'.

**Please note:** It is recommended to use a USB drive that is **less than 16GB** for the display screen to recognise the USB drive format (FAT32 format). This is usually the default format on USB drives less than 16GB.

Advertising LCD Playlist Ed	ditor 3.1	- • ×
Step 1: Add Schedule	Playlist Schedule Name:Schedule1 Start Time:08:00 End Time:20:00	E C
Step2: Add Items	Save To Disk	ן 🔟
	Save to the following location:	1
<b>;</b>	Save Cancel	
Step3: Save to Disk		-

#### 6.2.4 Editing Playlists

- 1. From the main menu click 'LOAD EXISTING PLAYLIST'.
- 2. Locate and select a playlist to edit.
- 3. Select the item you wish to edit and click the 'Edit' button.

#### **Deleting Items**

To delete media files within a playlist, select the media file and click 'Delete' located on the righthand side of the application. The media file will then be removed from the playlist.

# 7. F.A.Qs and Troubleshooting Guide

## 7.1 How do I change the Work Mode to Wi-Fi so I can connect to my Wi-Fi network?


#### Step 1

Press the Stop Button (**■**) on the remote control to stop the currently playing content on the screen.

(I) sop	© Current Playlist Open Data Invalid	tal	
Your display is currently in USB your supplier or going to MySign	mode. If it was purchased as a standalone produc agePortal.com		Machine ID: 74188162
Local Date and Time	Local storage Total: 3.6208 Used: 1.6108 Software Version:K95:04:0008/2000 Software Version:C21.8077.A1U Android Version:221.1107.71856	Log Network Status	

#### Step 2

Press the SETUP Button on the remote control to bring up the Setup Menu.



Whilst on the default menu, 'Work Mode', navigate over to the right side of the display using the arrows keys on the remote control and press the Play/Pause Button (►II) on the 'Wi-Fi' option.



#### Step 4

Navigate over to and select the 'Exit' button at the bottom left of the display.



Press 'Yes' to save the settings and reboot the screen into **WI-FI Work Mode**.

WARNING			
Data is changed, reboot or not?			
8			
Yes	No		

## 7.2 How do I connect to a Wi-Fi Hotspot?

#### Step 1

Press the Stop Button (=) on the remote control to stop the currently playing content on the screen.



#### Step 2

Press the **SETUP Button** on the remote control to bring up the **Setup Menu**.




Navigate to 'Wi-Fi Settings' and select this option with the Play/Pause Button (>II).


SETTINGS ADVANCED			
Work Mode			
Orientation			
Wi-Fi Settings			
Time & Date			
Machine ID	Zoo Prot	mMeeting_5G ection by way of WPA/WPA2	?₽
	Mee	etingRoom_5G ection by way of WPA/WPA2	78
		etingRoom ection by way of WPA/WPA2	ন্দ
	Sym	cRouter ection by way of WPA/WPA2	78
Exit			

## Step 4

Navigate to the WI-FI Network you wish to connect to and press Play/Pause Button (>II).



Whilst the cursor is on the white box press the **Play/Pause Button (HI)** to bring up the **On-Screen Keyboard**.



**Please note:** You can also select the 'Show Password' option to see the password entered.

#### Step 6

i

Type in the networks password and select the 'back' button on the keyboard when finished.



Navigate over to and select 'Connect' with the **Play/Pause Button (HI)**.

SETTINGS ADVANCED			
Work Mode	b = b		
Orientation			
Wi-Fi Settings		OfficeAP	
Time & Date		Signal Strength Stronger	
Machine ID		Security Protection by way of WPA/WPA2 Password 4524563565	হ
		Show Password	
	_	Connect NO	78
		MR_FC54D8 Protection by way of WPA2	¢ê
		AllseeGuest	<b>Î</b>
4		SA9800_c22d85	হ
Sexit			

## Step 8

Select the 'Exit' button or press the **Back Button** ( $\bigcirc$ ) on the remote control to go back to the **Homepage**.

SETTINGS A	dvanced			
Work Mode				
Orientation				
Wi-Fi Settings				
Time & Date	6			
Machine ID		ZoomMeeting_5G Protection by way of WPA/WPA2	<b>₹</b> ₽	
		MeetingRoom_5G Protection by way of WPA/WPA2	78	
			I.	
	_	MeetingRoom Protection by way of WPA/WPA2	<b>?</b>	
	_	SyncRouter Protection by way of WPA/WPA2	<b>7</b> 8	
S E	kit			

Check that the network is showing two ticks as below. If this is showing any crosses make sure to check you have entered your Wi-Fi password correctly and see our FAQ for more help.



7.3 How do I set up synchronisation on my screens?

## Step 1

Press the **Stop Button** (**■**) on the remote control to stop the currently playing content on the screen.



## Step 2

Press the 'SETUP' button on the remote control to bring up the Setup Menu then select the 'Advanced' option by navigating over to the Icon using the arrow keys on the remote control and pressing the Play/Pause Button (**HI**).



Navigate over to 'Sync Setting' and select this with the Play/Pause Button (HI).

System Setting				0	
Power On/Off					
Timer Strategy				444444	
Network Setting					
File Management	Display Language	>	Sync Setting	>	
	Screen Resolution	1920*1080 50Hz	Restore to Factory Settings	>	
	Real Time Clock	×	Auto Start		
	Play Log	>	Standby		
	USB		Webview Settings	>	
Exit	Scroll Text Setting				

## Step 4

Turn the switch on to access the sync features.

SETTINGS ADVANCED					0	
System Setting						
Power On/Off						
Timer Strategy						
Network Setting						
File Management	0			$\bigcirc$		
	•					
	_	Sync Setting		Sync Group	Sync Mode	
		Sync Role	Host 🔵 Slave 🔘			
				1	1	
Exit						

For the 'Sync Role option one of the screens **must** be a 'Host' so that the other screens follow this one in sequence. For the other screens, you will only need to turn the switch on and leave them as a 'Slave'.

#### **Host Screen**

•					·
	Sync Setting		Sync Group	Sync Mode	
	Sync Role	Host 🔘 Slave 🔵			
			1	1	

#### Slave Screen(s)

Sync S	Setting		Sync Group	Sync Mode	
Sync F	Role Host 🔵	Slave 🔘			
			1	1	

**Please note:** There must always be one 'Host' screen otherwise the screens will not sync.

#### Step 6

Н

Back out of this menu using the **Back Button** (℃) on the remote control and exit out the menu by selecting 'Exit' on the bottom left of the menu.

#### Optional

The '**Sync Group'** can be changed to a different number if you have more than one set of screens connecting to the same network and you wish for them to synchronise separately from each other. In this case you would change all of those specific screens to **Sync Group 2**.

## 7.4 How do I play PowerPoint presentations on my display?

You can save a PowerPoint presentation as a JPEG File Interchange Format (.JPG) as recommended in **Supported Media Files** table (Section 4.0).

- 1. Create or open a PowerPoint presentation.
- 2. Click File > Save As.
- 3. Enter a File name.
- 4. Click on 'Save as type' scroll down and find the file extension 'JPEG file interchange format', as shown in the image below.

	PowerPoint Presentation
	PowerPoint Macro-Enabled Presentation
	PowerPoint 97-2003 Presentation
	PDF
P3 Save As	XPS Document
-	PowerPoint Template
	PowerPoint Macro-Enabled Template
$\leftarrow \rightarrow \checkmark \uparrow$	PowerPoint 97-2003 Template
	Office Theme
n Organize - Nev	PowerPoint Show
in Organize + Nev	PowerPoint Macro-Enabled Show
HD8 General	PowerPoint 97-2003 Show
	PowerPoint Add-in
D Pictures	PowerPoint Add-in
PF 📃 User Manual	PowerPoint XML Presentation
-	MREC 4 Video
Microsoft Power	Windows Media Video
P	GIF Graphics Interchange Format
🗦 Dropbox	JPEG File Interchange Format
	PNG Portable Network aphics Format
a This PC	TIFF Tag Image File Format
	Device Independent Bitmap
Desktop	Windows Metafile
/s	Enhanced Windows Metafile
File name:	Outline/RTF
The name.	PowerPoint Picture Presentation
Save as type:	Strict Open XML Presentation
	OpenDocument Presentation
Authors:	
∧ Hide Folders	Tools  Save Cancel
Hide Folders	

- 5. Click Save.
- 6. A message will appear asking if you would like to save all slides as JPEG's
- 7. Once you have selected your option, The JPEG images will be saved and are ready to use within a playlist or to upload to a storage device.

If you wish to use a PowerPoint Presentation with animations and transitions included you can save the file as an .MP4 and use this as a video instead.

		PowerPoint Presentation PowerPoint Macro-Enabled Presentation
		PowerPoint 97-2003 Presentation
Γ	D Cours As	PDF
	PE Save As	XPS Document
7		PowerPoint Template
	$\leftarrow \rightarrow \checkmark \uparrow$	PowerPoint Macro-Enabled Template
		PowerPoint 97-2003 Template
		Office Theme
cen	Organize 🔻 Nev	PowerPoint Show
		PowerPoint Macro-Enabled Show
		PowerPoint 97-2003 Show
eD	🔀 Pictures	PowerPoint Add-in
supr	Lloor Monual	PowerPoint 97-2003 Add-in
or by		PowerPoint XML Presentation
	Microsoft Powe	MPEG-4 Video
s P		Windows Media Video
		GIF Graphics Interchange Format
		JPEG File Interchange Format
d a	This PC	PNG Portable Network Graphics Format
		TIFF Tag Image File Format
	📒 Desktop	Device Independent Bitmap
	<b>- -</b> .	Windows Metafile
ws		Enhanced Windows Metafile
	File name:	Outline/RTF
	Save as type:	PowerPoint Picture Presentation
		Strict Open XML Presentation
	Authors:	OpenDocument Presentation
	· Ilida Caldena	Tools 🔻 Open Cancel
	<ul> <li>Hide Folders</li> </ul>	
L		

For the best portrait resolution, you can use the following **PowerPoint Page Setup**:

- Width: 42.6cm
- Height: 24cm (16:9 Ratio)

## 7.5 Video Format Conversion

If the video file is not playing properly on the screen or it does not meet the requirements of the **Supported Media Files** table (Section 4.0), please use the following free **Video Converter** tool, **Format Factory**.

#### Step 1

Download and install the free Video Converter software for Windows Vista/7/8/10/11 named Format Factory.


https://format-factory.en.softonic.com/

Open the Format Factory software once installed.


FormatFactory X64 5.9.0 SK SKIN LANGUAGE OPTION HELP			- 6
Output Folder      Option     Preview	Start Please download official version Source	Output / Convert State	
·			
▶ MP4			
S MKV			
GIF			
SIF			
× WebM			
<b></b>			
deo Joiner & M			
Audio			
Picture			
Document			
ROM Device\DVD\C			
Utilities			
/Users/lcdsu/Videos/Format Factory 🗹 Use Multi-Threads		Elapsed Time : 00:00:00 After Converting : Shut Down Computer	Compl

## Step 3

On the left-hand window pane select 'MP4'.




Select the 'Add Files'.



## Step 5

Select the file you wish to convert and press 'Open'.




Click 'Output Setting'.

-> MP4		×
	Optimum quality and size	Output Setting
Preview	Media information	
	ASDA 2.mp4 49.91M, 1920x1080, 6.96Mbps, 00:00:56	Image: Divide         Image: Divide
	<b>Add Files</b>	
		Add Music 📴 Add Files
Append setting name [Optimum quality and size]		
C:/Users/lcdsu/Videos/Format Factory	▼ 📔	⊘ ОК

#### Step 7

Make sure the 'Video Encode' is set as 'MPEG(Xvid)' for the best quality and to change the 'Video Size' to the recommended resolution is as shown on the Supported Media Files table (Section 4.0). For example, for a Landscape video this will need to be 1920 x 1080 whilst a Portrait video will be instead be 1080 x 1920.



Select the 'OK' button once you are happy with this.


Detimum quality and size	▼ Save As
Video 🗾 Audio 📃 Subtitle 🔀 Othe	r 🗇 Watermark
www Size Limit	Off
Video Encode	MPEG4(Xvid)
📮 Video Size	1920x1080
≈ Bitrate	Default
CRF	Off
GPU GPU	Off
I FPS	Default
Aspect Ratio	Automatic
2 Encode 2 Pass	No
Key Frame Interval	Default
🔁 Deinterlace	No
🐼 Rotate	No
/ X Mirror	No
Y Mirror	No
30+ Filter	off Off
🌔 Fade In	Off
Fade Out	Off
Anti-Shake	Off
Denoise	No
Reverse	No

## Step 9

Select the 'OK' button again.

-> MP4		_ 🗆 X
	Optimum quality and size	Output Setting
Preview	Media information	
	ASDA 2.mp4 49.91M, 1920x1080, 6.96Mbps, 00:00:56	Divide         Option
	Add Files	
<b>*</b>		Add Music 📴 Add Files
Append setting name [Optimum quality and size]		
C:/Users/Icdsu/Videos/Format Factory	▼	ОК

Select the 'Start' button to begin the conversion process.



## Step 11

Once the process is finished, select the folder icon to find your new converted video file.



## 7.6 Connecting the screen to a PC.

If your PC/Laptop has a HDMI output then you may connect this to your screen to use as an external display. Simply connect one end of a **HDMI** cable to the screens **HDMI** input (see **Figure 2 Inputs Overview** 

Figure 4 ) and the other to your PCs **HDMI** output port. Using this method will carry both your PCs visual and audio signals.

If your PC does not have a **HDMI** output you can connect it to the screen using a **VGA** cable instead. Please be aware this connection does not carry audio signal. If you wish the audio signal from your PC to be sent to the screen as well, this can be achieved by using a male-to-male 3.5mm audio jack cable.

To change the input source of your screen, press the '**SOURCE**' button located on the top righthand corner of your remote control (see

Figure 4 Remote Control Overview). Next, navigate to your desired source and press Play/Pause Button (►II) on your remote control.

## 7.7 My media file does not fit properly on the screen.

If your media is being displayed with black edges please refer to the **Supported Media Files** table (Section 4.0). This has happened because the file does not have a 16:9 aspect ratio (1920x1080). Please resize file to 1920x1080 pixels and try loading the media onto the display once again.

## 7.8 My media file will not display or is missing from the playlist.

In this situation the first step to take is to start with a blank USB drive. Copy one supported picture file (see **Supported Media Files** table (Section 4.0) onto the blank USB drive and insert this into the unit. If this works there are most likely one or more unsupported files or folders on your original playlist.

In this case please check first that the media file is the correct size to fit the screen  $-1920 \times 1080$  pixels. If it is any bigger than this it is likely the media file will not display.

## 7.9 My media files will not update.

If you are having problems updating your display follow these steps to ensure it is not a technical issue.


- 1) Ensure that there are no additional unsupported files or folders stored on the USB drive.
- 2) Make sure the USB drive is firmly inserted into USB slot
- 3) Before contacting your supplier try another USB drive to be certain this is not the fault.

See section **Supported Media Files** table (Section 4.0) for more information.

### 7.10 How should I maintain and clean my screen?

When you begin to observe the presence of dust, fingerprints, or smears on your screen, it is advisable to perform a cleaning.

 Unplug or turn off your screen before you begin. Turning your screen off is safer, and you can see more dirt and smudges when the screen is unplugged. Plus, this gives your screen a chance to cool down, which will help you clean it better.



- Clean the body or panel of your screen with a microfibre cloth dampened with a small amount of screen cleaning product. Please do so in a circular motion to clean off any dust or debris.
- 3) Once the screen is clean, remove any moisture using a dry cloth.

М

Please note: Do not spray water or any other liquid directly onto the screen. Any liquid entering the screen may cause a failure, fire, or electric shock; Never use paper towels, tissues, or rags to clean your screen. These contain fibres that can leave scratches on your screen. Also, remember to avoid pressing down too hard. Pushing on the screen too hard and cause pixels to burn out.

## 8. Other Information

#### **Decreasing power consumption**

When you turn off the screen, it enters Standby mode, which still consumes a small amount of power. To minimize power consumption, it is recommended to unplug the power cord when the screen will not be used for an extended period.

#### Disposal

Correct Disposal of This Product (Waste Electrical & Electronic Equipment) (Applicable in countries with separate collection systems) This marking on the product, accessories or literature indicates that the product and its electronic accessories should not be disposed of with other household waste at the end of their working life. To prevent possible harm to the environment or human health from uncontrolled waste disposal, please separate these items from other types of waste and recycle them responsibly to promote the sustainable reuse of material resources. Household users should contact either the retailer where they purchased this product, or their local government office, for details of where and how they can take these items for environmentally safe recycling. Business users should contact their supplier and check the terms and conditions of the purchase contract. This product and its electronic accessories should not be mixed with other commercial wastes for disposal



#### Warnings

Image retention, commonly known as screen burn-in, can occur on most types of LCD panels if the same image is displayed continuously. The most common causes of image retention are logos that remain stationary on the LCD panel. To reduce this risk, avoid displaying still images for long durations and lower the brightness settings to decrease the intensity of the picture. Extended viewing of art in aspect ratios that are different from the aspect ratio of the panel may cause image retention. Always try to avoid black borders at the top or bottom by using correct image/video resolution. This will help eliminate the black borders and fit the picture to the entire area of the screen.